

**Patent Pending Design**

**ChemDry<sup>®</sup>**

**CTS56 LIQUID**

Introducing the

**Revolutionary**

**Chem-Dry Carbonating TruckMount System**

*Revolutionizing Expectations for TruckMount Cleaning*

# CTS56 Liquid

Slide-in TruckMount



Carpet




Tile



Upholstery




The power of the industry's leading new TruckMount meets ultimate versatility with the CTS56 Liquid. The CTS56 Liquid is designed for best in class performance, functionality, and reliability. This slide-in unit makes cleaning easy with the capability to run Carpet, Upholstery, or Tile & Stone cleaning tools. Learn more about this remarkable revolution in cleaning technology.





# OVERVIEW

1. Digital Display
2. System Power ON/OFF Switch
3. Protectant Injection Tank
4. Vacuum Inlet Connections with Built-in Pre-filter Assembly
5. Through Floor Blower/Engine Exhaust Discharge
6. Panel with Safety, Warnings, & Precautions & QR Code to Access Operator's Manual
7. Pressure Regulator
8. Blower Lube Port
9. Hard Surface Water Outlet
10. Carpet & Upholstery Solution Outlet
11. Fresh Water Inlet for Hard Surface Cleaning
12. Protectant Injection Flow Rate
13. Protectant OFF/ON/PRIME Switch
14. Protectant Flow Meter
15. Selection Lever for Carpet/Upholstery or Hard Surface Cleaning - Conveniently Located
16. Oil Maintenance Center:  
Change Engine Oil, Drain Blower Oil, & Drain Pump Oil



# DIGITAL DISPLAY

ALL-IN-ONE, STATE OF THE ART DISPLAY



- |  |   |
|--|---|
| 1. Digital Display   | 9. Throttle Control   |
| 2. Solution Temperature<br>(red=too hot, yellow=cleaning temp, blue=too low) | 10. MENU - takes you to<br>maintenance, setup,<br>IO (Troubleshooting) status |
| 3. Waste Tank full indicator icon  | 11. Solution Pressure Gauge   |
| 4. Blower Vacuum Gauge   | 12. Solution Tank empty<br>indicator icon                                     |
| 5. Machine Hour Meter  | 13. Ignition ON/OFF   |
| 6. Auto Pump Out Control Switch  |   |
| 7. Solution Temperature Control  |   |
| 8. Solution Pump<br>OFF/ON/HEAT Switch                                       |   |



## Maintenance Reminders:

View necessary key maintenance reminders at key intervals. Clear issues once resolved.

Auxiliary Control: Manage optional connected accessories such as compressor, interior lighting, etc.

# ADDITIONAL FEATURES



## **STAINLESS STEEL CONSTRUCTION**

### **INCREASED RELIABILITY**

This unit features stainless steel components throughout which offer better protection from corrosion, provide heat resistance, and are less likely to crack, rust or freeze to help prolong the TruckMount's life. The Stability-Control Stainless Steel base platform (that the unit is built onto), allows for easier management of the machine and its parts. Platform includes protective channels for hoses. Additionally, the carpet cleaning solution path features 100% stainless steel components.

## **CABIN HEAT DISCHARGE SYSTEM™**

### **MANAGE HEAT FLOW**

The patent pending Cabin Heat Discharge System™ works to remove radiant heat from the engine exhaust and transfers it through a channeled airflow system, discharging the extra heat outside of the vehicle. This unique design is only available on the CTS56 Liquid machine.

## **SLIDING HOSE REEL**

### **EASIER MAINTENANCE ACCESS**

This unit features a sliding hose reel. Slide the hose reel out of the way to access the machine for maintenance.

## **MAXI-DRAIN WASTE TANK DESIGN**

### **130 GALLON STAINLESS STEEL WASTE TANK**

The stainless steel waste tanks offer better protection from corrosion, heat, cracks, rust or freezing. This 130 gallon stainless steel waste tank offers extra large capacity and comes with a 105 gallon auto shut off (plus notification icon on the dash screen) so you know when your tank needs to be emptied to continue working. Maxi-Drain design ensures nearly every drop of waste can be drained with its inclined floor tapered down to the exit port.

## **POWERFUL LIQUID COOLED ENGINE**

### **PROLONGS ENGINE LIFE**

This TruckMount motor has an integrated "Engine Cooler" system. This system helps keep the engine cooler and prolongs the engine's life.

## **LIVE SOLUTION HOSE REELS**

### **EASIER HOSE CONTROL**

This unit features a mounted solution hose reel. Use the amount of hose you need per job. No need to unwind any extra hose.

## **INNOVATIVE HEAT EXCHANGER DESIGN**

### **INCREASE RELIABILITY**

This unit's heat exchanger is unlike any other heat exchanger on the market. This unit uses Cyclonic Air Flow to maximize the heat transfer into The Natural® for superior cleaning results.

## **IN-LINE PROTECTANT INJECTION SYSTEM**

### **EASIER PROTECTANT USE**


This machine boasts a Protectant injection system to manage your Protectant use and make it easier for your technicians to apply Protectant.

## **MEGAFLO 56 BLOWER**

### **INCREASED RELIABILITY**

MegaFlo 56 Blower - connecting a top performing industry-leading blower with the Liquid-cooled motor offers power and performance that is unrivaled. This blower offers reduced engine noise, triple lip seals which provide improved lubrication to extend the life of the seal up to 50% also resulting in longer bearing life. This blower also includes double-row ball bearings at the gear end, stronger than single row ball bearings offered by other manufacturers.

# Typical Van Layout



## STANDARD KIT ITEMS\* INCLUDE

150 ft 2" vacuum hose  
150 ft high pressure solution hose  
10 ft 1 ½" whip vacuum hose  
10 ft 1 ½" drain hose  
50 ft garden hose  
50 gallon solution tank  
with built-in chemical tray

Thru floor exhaust kit  
Pre-filter box system  
Protectant injection system  
Waste Tank

\*items included are subject to change.

For more information, contact  
Equipment Sales: 435-890-1008